

By enabling bidirectional transmission over a single fiber, this module enhances fiber utilization efficiency and can reduce fiber installation costs and fiber rental costs. We offer a diverse range of options that ...

Operation Mode:BiDi, Single-fiber Bidirectional Wavelength:TX1270nm/RX1330nm or TX1330nm/RX1270nm (used in pair) Transmission Distance:10km over Single-Mode Fiber (SMF) ...

The SFP28 transceiver provides up to 20km of 25GBase-BX throughput over single-mode fiber (SMF) using 1330nm-TX/1270nm-RX wavelengths via LC simplex connectors.

Our 25G BiDi SFP28 40km Side A transceiver enables long-distance single-fiber connectivity. Transmitting at 1270nm and receiving at 1330nm, this bidirectional module supports up to 40km over ...

This series of products uses a single single-mode optical fiber for transmission, the center wavelength is 1270nm/1330nm, the distance can reach up to 10km or ...

Our collection of 25G BiDi SFP28 optical transceivers is engineered to maximize your fiber optic infrastructure. By utilizing bidirectional Wavelength Division Multiplexing (WDM) technology, these ...

The 25G BiDi SFP28 module is a game-changer for deploying a 25G Ethernet network by delivering high-speed Ethernet through one fiber using bidirectional transmission of data.

The FiberMania 25G BiDi SFP28 80KM optical transceiver is a high-performance module designed for long-reach, single-fiber bidirectional transmission over standard G.652 single-mode fiber.

The 25G BiDi SFP28 80KM optical transceiver is a high-performance module designed for long-reach, single-fiber bidirectional transmission over standard G.652 single-mode fiber.

The SFP28 transceiver provides up to 20km of 25GBase-BX throughput over ...

This series of products uses a single single-mode optical fiber for transmission, the center wavelength is 1270nm/1330nm, the distance can reach up to 10km or 30km, and it supports industrial-grade ...

The Cisco 10/25GBASE-LR Module supports a link length of 10 kilometers on standard Single-Mode Fiber (SMF) G.652 at both 10G and 25G. The module requires RS-FEC on the host ...

Web: <https://csc-energia.com.pl>