

Optical splitter 2 outputs, 1310 or 1550 nm for single mode fibre optic, SC/APC connectors.

Copyright ©; Separatech (Malaysia) Sdn Bhd. All Right Reserved.

SCHOTT's plant in Penang, Malaysia processes optical glass components and wafers for the health, optics, datacom, and electronics industries

Please contact the EKSMA Optics distributor in Malaysia. The experienced team provides high-quality EKSMA Optics optical components, nonlinear and laser crystals.

Model : 2 Ports FTTH Fiber Optic Termination Box Socket Panel Wall Outlet. ...

The high resolution optical analysis system works in conjunction with on-board firmware for fully automatic splicing, tapering and other glass shaping processes.

Model : 2 Ports FTTH Fiber Optic Termination Box Socket Panel Wall Outlet. Color : White. Size : 8.6cm x 8.6cm x 2.5cm. Quantity : 1 unit. Weight : 100 gram. Features: - A user end product to realize ...

It features small size, high reliability, wide operating wavelength range and good channel-to-channel uniformity, and is widely used in PON networks to realize optical signal power splitting.

Malaysia Fiber Optic Splitters Directory provides list of Made in Malaysia Fiber Optic Splitters Products supplied by reliable Malaysia Fiber Optic Splitters Manufacturers, Traders and Companies.

Our Fiber Optic Solution consist of adapters, cords, optical cables, outdoor cables and many more. Contact us for more information or any enquiries.

Used in the fibre optic industry for many years, these splitters are designed to equally divide the optical signal generated by the FibreMDU and FibreIRS systems. They are passive, dual window (1310 & ...

Web: <https://csc-energia.com.pl>