

TEG1210P 10-Port Gigabit Intelligent PoE Switch User Guide Procedures taken to add VLAN groups in Port VLAN mode are listed below: 1. Select a VLAN group number such as "2" from the VLAN Group ...

I bought a Tenda TEM2010F switch that supports 2.5Gbit/s and supports Static Aggregation. This switch is set to Static LAG and the specific ports are connected to a TP-Link ...

The switch provides three working modes: Standard, VLAN, and Static Aggregation, providing more flexible networking and lower cost. 6KV Lightning Protection.

It essentially makes a link aggregation group between those two port pairs, so if you have something like a NAS and are still using link aggregation instead of SMB3 multi-channel, and the ...

Static Aggregation: Group 1: 7-8. For dual-port 2.5G NAS, up to 5 Gbps. TEM2010X is an 8-port 2.5G Ethernet switch with 2\*10G SFP+ ports independently designed by Tenda. Th Tenda TEM2010X 8 ...

Designated port: If the designated port is an edge port, it can directly transit to forwarding state; if the designated port is a P2P port, it can transit to forwarding state once it gets response from the ...

Port isolation: Ports 1-22 are isolated from each other and can only communicate with ports 23 and 24. Suitable for scenarios such as dormitories, hotels, bars, and wireless coverage that do not require ...

All its RJ45 ports are PoE-capable and it can connect up to 24 IEEE 802.3af-compliant PDs (15.4W) or up to 12 IEEE 802.3at-compliant PDs (30W).

Static Aggregation Mode: This mode groups ports 7 and 8 together to form a single logical link, providing increased bandwidth and redundancy. This is particularly useful for dual-port 2.5G NAS devices, ...

Port mirroring is a method of copying and sending network packets from a port or multiple ports (source ports) to a specified port (destination port) of the switch.

This case describes a high-traffic scenario, such as offices and schools, to explain how to configure port aggregation to achieve the superposition of port transmission rates and effectively ...

To allow port aggregation, the basic configuration on all the ports must be consistent. The following list details the basic configuration parameters that should be consistent on all the ports: STP ...

Web: <https://csc-energia.com.pl>