

Wiring thickness requirements for power distribution cabinets

(C) Cables Through Spaces Behind Panels Designed to Allow Access. Cables or raceway-type wiring methods, installed behind panels designed to allow access, shall be supported according to their ...

Article 408 covers the requirements for switchboards and panelboards that control power and lighting circuits (Fig. 1). These rules address the equipment that forms the core of a premises electrical system.

Article 408 covers the requirements for switchboards and panelboards that control power and lighting circuits. Figure 01. These rules address the equipment that forms the core of a premises electrical ...

The National Electrical Code (NEC) provides comprehensive safety standards for electrical installations, including requirements for electrical panels (main service panels and subpanels or breaker box).

The first step to configure your standard panel is to select the enclosure and backplate that fits your requirements. There are five standard backplate options as shown in Table 1.

The intent of this manual is to clarify electric service requirements for Pacific Power and Rocky Mountain Power customers prior to and during construction. This manual may require different electrical ...

Remember that this table is just one part of conductor sizing - always consider voltage drop, continuous load requirements, and local code amendments in your calculations.

ices in electrical equipment enclosures. Through the guidance of the National Electrical Code (NEC), we can meet the need for safe low-voltage designs by applying the NEC in sub. tations whenever ...

This standard describes the design of individual electrical power circuits for illumination, signal, and ITS equipment, powered from WSDOT electrical service cabinets, and the associated features required ...

Each has its own unique standards and application guidelines, and one facet of good power system design is the knowledge of when to apply each type of equipment and the limitations of each type of ...

Important User InformationPublication Overview5 Additional ResourcesDetailed Wiring Schematic ExamplesThe final step to configure your standard panel is to review your detailed wiring schematic. Some card options have different wiring requirements that must be considered to allow for adequate DIN rail space. Once you receive your full set of wiring schematics, you must enter your field data to complete your panel. See more on literature.rockwellautomation ol#b_results li.b_ad,ol#b_topw.b_results_eml li.b_ad,ol#b_topw li.b_ad{background-color:transparent;border-right:0px;border-bottom:1px solid

Wiring thickness requirements for power distribution cabinets

```

#ebebeb;margin-bottom:1px;padding-right:0;padding-bottom:5px}ol#b_results
li.b_adBottom,ol#b_topw.b_results_emi li.b_adBottom{border-top:1px solid
#ebebeb;border-bottom:0;padding-bottom:0}ol#b_context li.b_ad,ol#b_rrat_cont
li.b_ad{background-color:transparent}.sb_add cite{text-transform:lowercase}#b_results .b_ad .sb_adTA
.b_caption,#b_topw.b_results_emi .b_ad .sb_adTA .b_caption,#b_results .b_ad .sb_adTA .b_vlist2col
li,#b_topw.b_results_emi .b_ad .sb_adTA .b_vlist2col li,#b_results .b_ad .sb_adTA
.b_factrow,#b_topw.b_results_emi .b_ad .sb_adTA .b_factrow,#b_results .b_ad .sb_adTA
.b_bcfactrow,#b_topw.b_results_emi .b_ad .sb_adTA .b_bcfactrow,#b_topw .b_ad .sb_adTA
.b_caption,#b_topw .b_ad .sb_adTA .b_vlist2col li,#b_topw .b_ad .sb_adTA .b_factrow,#b_topw .b_ad
.sb_adTA .b_bcfactrow{padding-bottom:var(--smtc-gap-between-content-xx-small)}#b_results .b_ad
.sb_adTA .b_vlist2col,#b_topw.b_results_emi .b_ad .sb_adTA .b_vlist2col,#b_results .b_ad .sb_adTA
.b_factrow,#b_topw.b_results_emi .b_ad .sb_adTA .b_factrow,#b_results .b_ad .sb_adTA
.b_bcfactrow,#b_topw.b_results_emi .b_ad .sb_adTA .b_bcfactrow,#b_results .b_ad
.sb_adig,#b_topw.b_results_emi .b_ad .sb_adig,#b_topw .b_ad .sb_adTA .b_vlist2col,#b_topw .b_ad
.sb_adTA .b_factrow,#b_topw .b_ad .sb_adTA .b_bcfactrow,#b_topw .b_ad
.sb_adig{margin-top:0}#b_results .b_ad h3.b_adlabel,#b_topw.b_results_emi .b_ad h3.b_adlabel,#b_topw
.b_ad h3.b_adlabel{margin-bottom:var(--smtc-gap-between-content-xx-small)}.b_ad
.pa_mlo~.sb_adt{margin-bottom:-6px}.b_ad_description{font:var(--bing-smtc-text-global-body3);color:var(--
bing-ads-smtc-desktop-foreground-snippet-default)}#b_content #b_results
li.b_ad.b_adMiddle{margin-top:0;margin-bottom:16px}.b_ad
.b_floatR_img{padding-left:var(--mai-smtc-padding-card-nested-default)}#b_results .sb_add h2:hover
a,#b_topw.b_results_emi .sb_add h2:hover a{text-decoration:underline}#b_results .sb_add
h2:hover,#b_topw.b_results_emi .sb_add h2:hover{cursor:pointer}.b_ad
li.b_adLastChild{margin-bottom:0}#b_results>li.b_ad{background-color:#fcfaf9}
#b_topw.b_results_emi>li.b_ad{background-color:#fcfaf9} #b_context>li.b_ad{background-color:#fcfaf9}
.b_dark #b_results>li.b_ad{background-color:inherit} .b_dark
#b_topw.b_results_emi>li.b_ad{background-color:inherit}.pa_item .pa_img.white_bg,.pa_hover
.pa_hover_img.white_bg{background-color:#f5f5f5}@media(forced-colors:none){.pa_item .pa_img.white_bg
img,.pa_hover .pa_hover_img.white_bg img{mix-blend-mode:multiply}}.pa_carousel
.b_slideexp{margin-bottom:0}.pa_carousel .b_slideexp
.btn{z-index:8}.pa_carousel_mlo{padding-bottom:var(--smtc-gap-between-content-xx-small)}.b_adBottom
.pa_carousel_mlo{margin:var(--mai-smtc-padding-card-default) 0 0 0!important}.narrpole
.pa_carousel_ml{padding-right:20px}.pa_carousel_mlo.expanded
.pa_carousel_ml{padding-right:var(--smtc-gap-between-content-xx-large)}.pa_carousel_ml
.slide{border-collapse:separate}.pa_carousel_ml .slide.anim{visibility:hidden;animation:slideInFromLeft .05s
cubic-bezier(.3,.5,.1,1) .3s 1 normal forwards}@-webkit-keyframes
slideInFromLeft{0%{visibility:visible;transform:translateX(100%)}100%{visibility:visible;transform:translat
eX(0)}}@keyframes
slideInFromLeft{0%{visibility:visible;transform:translateX(100%)}100%{visibility:visible;transform:translat
eX(0)}}.pa_carousel_ml .slide:focus-visible{text-decoration:underline}#b_content .pa_carousel_mlo

```

Wiring thickness requirements for power distribution cabinets

```
.b_slidesContainer{ width:100% }.b_poleContent:has(.pa_carousel_mlo){ width:auto }li
.pa_mlo{ padding-bottom:0 }#b_content ol#b_results li.b_ad,#b_content ol#b_topw.b_results_eml
li.b_ad{ border-bottom:0 }.b_ad .pa_carousel_ml
.b_adPATitleBlock{ padding-left:0 }.b_adPATitle{ text-overflow:ellipsis;overflow:hidden;white-space:nowrap;
padding-right:var(--smtc-gap-between-content-medium);height:26px;font:var(--bing-smtc-text-global-subtitle
1-strong);color:var(--smtc-foreground-content-neutral-primary)!important;padding-bottom:var(--smtc-padding
-ctrl-sm-text-bottom)}.b_adPATitleBlock{ padding-bottom:var(--smtc-gap-between-content-small)}.b_adPAT
itleBlock .b_floatR{ margin-left:var(--mai-smtc-padding-card-default)}.b_adPATitle
a:focus-visible{ margin-left:var(--smtc-padding-ctrl-text-side);text-decoration:underline}.b_adPATitle
a{ font:var(--bing-smtc-text-global-subtitle1-strong)!important;color:var(--smtc-foreground-content-neutral-pri
mary)!important;vertical-align:text-bottom}.pa_carousel_ml
.b_adPATitleBlock{ padding-left:var(--mai-smtc-padding-card-default)}.b_adPATitle_chevron{ display:inline-
flex;padding:var(--smtc-gap-inside-ctrl-to-secondary-icon)}.b_adPATitleBlock
acf-badge{ display:inline-flex!important}acf-badge{ display:flex;align-items:center;inline-size:fit-content;max-
inline-size:100%;gap:var(--smtc-ctrl-badge-gap);padding-block-start:var(--smtc-ctrl-badge-sm-text-padding-to
p);padding-block-end:var(--smtc-ctrl-badge-sm-text-padding-bottom)}acf-badge,acf-badge::before,acf-badge::
after,acf-badge * ,acf-badge *::before,acf-badge
*::after{ box-sizing:border-box;margin:0;padding:0}acf-badge,acf-badge
*{ display:none}acf-badge[data-visually-hidden],acf-badge
*[data-visually-hidden]{ block-size:1px;inline-size:1px;margin:unset;padding:unset;border:0;clip:rect(0 0 0
0);clip-path:inset(50%);overflow:clip;position:absolute;white-space:nowrap}acf-badge> * { min-inline-size:0;fl
ex-shrink:0;flex-grow:0}acf-badge
span{ flex-shrink:1;white-space:nowrap;text-overflow:ellipsis;overflow:clip;max-block-size:calc(1*1lh)}acf-b
adge[data-fill="Tint"]{ background-color:var(--smtc-status-informative-tint-background)}.acf-badge__favicon
{ border-radius:var(--mai-smtc-corner-favicon)}@media(forced-colors:active){ acf-badge{ border:1px
solid}}acf-badge[data-size="AdSlugSize"]{ border:1px solid
var(--bing-ads-smtc-ad-slug-stroke);border-radius:var(--bing-ads-smtc-ad-slug-corner);margin-inline-end:var(
--smtc-gap-between-content-xxx-small);padding-inline:var(--smtc-padding-ctrl-text-side)}acf-badge[data-size
="AdSlugSize"][data-weight="Default"]{ font:var(--bing-smtc-text-global-caption2);line-height:var(--bing-ads
-smtc-ad-slug-line-height)}acf-badge[data-size="AdSlugSize"][data-weight="Heavy"]{ font:var(--bing-smtc-te
xt-global-caption2-strong);line-height:var(--bing-ads-smtc-ad-slug-line-height)}acf-badge[data-style="AdSlug
"]{ color:var(--bing-ads-smtc-desktop-foreground-ad-slug-default)}acf-badge[data-style="AdSlug"][data-fill="
AdSlugWhite"]{ background-color:var(--smtc-background-web-page-primary)}acf-badge[data-style="AdSlug
"][data-fill="AdSlugTransparent"]{ background-color:transparent}.b_adChoice{ position:relative;width:12px;h
eight:12px;text-indent:0;overflow:hidden;direction:ltr;transform:none;float:right}.b_adChoiceInline{ display:i
nline-block}.b_adChoice::after{ transform-origin:-320px
0;transform:scale(.5);position:relative;display:inline-block}.b_adSlugRow
.b_adChoice{ float:none;vertical-align:-1px;display:inline-block}.pa_sbo+a
.b_adChoice{ margin-top:8px}.b_adPATitleBlock bubble_lite bubble_item,.b_adSlugRow bubble_lite
bubble_item,.b_spa_adblock bubble_lite bubble_item,.b_magazine bubble_lite
```

Wiring thickness requirements for power distribution cabinets

bubble_item,.ra_car_container bubble_lite
 bubble_item,.b_adinfo{display:inline-block!important}.b_adinfo{cursor:pointer;vertical-align:middle;line-height:0}@media(forced-colors:active){.b_adChoice{filter:invert(1)}}.b_adChoice::after{content:url(/rp/EX_imgILPdYtFnI-37m1pZn5YKII.png)}.emb_ppa .listad{position:relative}.emb_ppa .b_adinfo
 bubble_item{height:12px}.emb_ppa lcard .lc_content .b_factrow
 .b_slgw{position:absolute;top:6px;left:8px;display:flex;align-items:center;border:1px solid #ecec;border-radius:6px;background-color:#fff;justify-content:center;height:20px;width:71px}div.b_adSlug , lcard .lc_content .b_factrow div.b_embPPASlug.b_adSlug,#IMapContainer .b_aswta .vertcard .lc_content div.b_factrow div.b_adSlug,div.gs_VA_slgw .b_adSlug.b_opttxt.b_divdef,.genserp_PA_container .genserp_PA_title div.genserp_PA_adslug span.genserp_adSlug,.gs_embedded_label_container,.embedded_msan_ad_slug{border:0;margin-right:0}.b_acf_crsli .slide.b_crsli>*:last-child,.b_acf_crsli .b_slideexp,#b_topw .b_wpt_container .b_slidesContainer:has(.b_acf_crsli) .b_slidesContainer{margin-bottom:unset}#b_topw .b_wpt_container:has(.b_acf_crsli) .b_viewport{padding:unset}#b_topw .b_wpt_container .b_wpt_bl:has(.b_acf_crsli){overflow:visible}.b_acf_crsli .b_slidesContainer .slide.b_crsli{overflow:unset}.b_acf_crsli .btn.next .bg,.b_acf_crsli .btn.prev .bg{background:unset}.b_acf_crsli.hovexp .b_viewport,.b_acf_crsli.hovexp .b_slidebar,#b_pole #tob_container .b_acf_crsli.hovexp .b_viewport{height:unset!important}#b_topw .b_wpt_container .b_acf_crsli .btn.bld.next,#b_topw .b_wpt_container .b_acf_crsli .btn.bld.prev,.b_acf_crsli .btn.next,.b_acf_crsli .btn.prev{z-index:5}.b_acf_crsli.b_fadebg .btn.next .bg{background:linear-gradient(90deg,var(--bing-smtc-background-ctrl-fade-on-primary-stop-0) 0%,var(--smtc-background-card-on-primary-default-rest) 60%)} .b_acf_crsli.b_fadebg .btn.prev .bg{background:linear-gradient(270deg,var(--bing-smtc-background-ctrl-fade-on-primary-stop-0) 0%,var(--smtc-background-card-on-primary-default-rest) 60%)} .b_acf_crsli.b_fadebg.b_fadebg_theme .btn.next .bg{background:linear-gradient(90deg,var(--bing-smtc-ctrl-background-fade-stop-0) 0,var(--bing-smtc-background-card-on-primary-alt-rest) 20px)} .b_acf_crsli.b_fadebg.b_fadebg_theme .btn.prev .bg{background:linear-gradient(270deg,var(--bing-smtc-ctrl-background-fade-stop-0) 0,var(--bing-smtc-background-card-on-primary-alt-rest) 20px)} .b_dark .b_acf_crsli .b_slidebar .slide{background-color:unset}[dir="rtl"] .b_acf_crsli.b_fadebg .btn.next .bg{background:linear-gradient(270deg,var(--bing-smtc-background-ctrl-fade-on-primary-stop-0) 0%,var(--smtc-background-card-on-primary-default-rest) 60%)}[dir="rtl"] .b_acf_crsli.b_fadebg .btn.prev .bg{background:linear-gradient(90deg,var(--bing-smtc-background-ctrl-fade-on-primary-stop-0) 0%,var(--smtc-background-card-on-primary-default-rest) 60%)}[dir="rtl"] .b_acf_crsli.b_fadebg.b_fadebg_theme .btn.next .bg{background:linear-gradient(270deg,var(--bing-smtc-ctrl-background-fade-stop-0) 0,var(--bing-smtc-background-card-on-primary-alt-rest) 20px)}[dir="rtl"] .b_acf_crsli.b_fadebg.b_fadebg_theme .btn.prev .bg{background:linear-gradient(90deg,var(--bing-smtc-ctrl-background-fade-stop-0) 0,var(--bing-smtc-background-card-on-primary-alt-rest) 20px)} .b_acf_crsli.hovexp .leftmost .b_overlay .b_viewport,.b_acf_crsli.hovexp .leftrightmost .b_overlay .b_viewport,.b_acf_crsli.hovexp .b_overlay

Wiring thickness requirements for power distribution cabinets

```
.b_viewport{padding-left:var(--smtc-gap-between-content-x-large)!important;margin-left:calc(var(--smtc-gap-between-content-x-large)*-1)!important}.b_acf_crsl.hovexp                .middle                .b_overlay
.b_viewport,.b_acf_crsl.hovexp                .rightmost                .b_overlay
.b_viewport{padding-left:unset!important;margin-left:unset!important}.b_colg_4xs
.slide{margin-inline-end:var(--smtc-padding-ctrl-text-side)!important}.b_rowg_4xs
.slide>{*margin-bottom:var(--smtc-padding-ctrl-text-side)!important}.b_colg_3xs
.slide{margin-inline-end:var(--smtc-padding-ctrl-sm-text-top)!important}.b_rowg_3xs
.slide>{*margin-bottom:var(--smtc-padding-ctrl-sm-text-top)!important}.b_colg_2xs
.slide{margin-inline-end:var(--smtc-gap-between-content-xx-small)!important}.b_rowg_2xs
.slide>{*margin-bottom:var(--smtc-gap-between-content-xx-small)!important}.b_colg_xs
.slide{margin-inline-end:var(--smtc-gap-between-content-x-small)!important}.b_rowg_xs
.slide>{*margin-bottom:var(--smtc-gap-between-content-x-small)!important}.b_colg_s
.slide{margin-inline-end:var(--smtc-gap-between-content-small)!important}.b_rowg_s
.slide>{*margin-bottom:var(--smtc-gap-between-content-small)!important}.b_colg_m
.slide{margin-inline-end:var(--smtc-gap-between-content-medium)!important}.b_rowg_m
.slide>{*margin-bottom:var(--smtc-gap-between-content-medium)!important}.b_colg_l
.slide{margin-inline-end:var(--mai-smtc-padding-card-default)!important}.b_rowg_l
.slide>{*margin-bottom:var(--mai-smtc-padding-card-default)!important}.b_colg_xl
.slide{margin-inline-end:var(--smtc-gap-between-content-x-large)!important}.b_rowg_xl
.slide>{*margin-bottom:var(--smtc-gap-between-content-x-large)!important}.b_colg_2xl
.slide{margin-inline-end:var(--smtc-gap-between-content-xx-large)!important}.b_rowg_2xl
.slide>{*margin-bottom:var(--smtc-gap-between-content-xx-large)!important}.b_colg_3xl
.slide{margin-inline-end:var(--smtc-padding-content-xx-large)!important}.b_rowg_3xl
.slide>{*margin-bottom:var(--smtc-padding-content-xx-large)!important}.b_colg_4xl
.slide{margin-inline-end:var(--smtc-padding-content-xxx-large)!important}.b_rowg_4xl
.slide>{*margin-bottom:var(--smtc-padding-content-xxx-large)!important}.b_acf_crsl
.b_acf_card:focus-visible,.b_acf_crsl                .b_acf_card.b_acf_kbd_focus{outline:2px                solid
var(--smtc-ctrl-focus-outer-stroke);outline-offset:-3px;border-radius:var(--mai-smtc-corner-card-default);z-ind
ex:1}.b_acf_card{box-sizing:border-box;border-radius:var(--mai-smtc-corner-card-default);-webkit-user-selec
t:none;user-select:none;position:relative;width:100%;height:100%;position:relative}.b_acf_card.b_acf_bckgn
d{background:var(--bing-smtc-background-card-on-primary-alt-rest)}.b_acf_card_link{border-radius:var(--m
ai-smtc-corner-card-default);outline-offset:-1px;position:absolute;width:100%;height:100%}.b_acf_card_link:
hover{text-decoration:unset}.acf_col1_4{width:140px}.acf_col1_6{width:160px}@media(forced-colors:activ
e){.b_acf_card_link{background-color:unset}.b_acf_card
.acf_t_c_title{color:LinkText!important}}.acf_col1{width:88px}.acf_col2{width:200px}.acf_col3{width:312
px}.acf_col4{width:424px}.acf_col5{width:536px}.acf_col6{width:648px}.acf_col7{width:760px}.acf_col8
{width:872px}.acf_col9{width:984px}.acf_col10{width:1096px}.acf_col11{width:1208px}.acf_col12{width:
1320px}.acf_row1{height:88px}.acf_row2{height:200px}.acf_row3{height:312px}.acf_row4{height:424px}.
acf_row5{height:536px}.acf_row6{height:648px}.acf_row7{height:760px}.acf_row8{height:872px}.acf_row
9{height:984px}.acf_row10{height:1096px}.acf_row11{height:1208px}.acf_row12{height:1320px}.b_overla
```

Wiring thickness requirements for power distribution cabinets

```

y .acfdefaultchev.btn.next{right:0!important}.b_overlay .acfdefaultchev.btn.prev{left:0!important}.b_overlay
.acfdefaultchev.btn.hover .bg{opacity:unset;filter:unset}.b_overlay .acfdefaultchev.btn.disabled,.b_overlay
.acfdefaultchev.btn.hidden{display:none}.b_overlay .acfdefaultchev.btn{width:48px}.b_overlay
.acfdefaultchev.btn .bg{opacity:unset}.b_overlay .acfdefaultchev.btn.prev .cr{left:0}.b_overlay
.acfdefaultchev.btn.next .cr{right:0}.acfdefaultchev
.cr{display:flex;justify-content:center;align-items:center;flex:1 0 0;align-self:stretch;width:36px;height:48px;position:absolute;margin:unset;opacity:unset;transition:unset;border-radius:var(--smtc-corner-ctrl-lg-rest);background:var(--bing-smtc-background-container);box-shadow:var(--smtc-shadows-floating-action-button-rest);fill:var(--smtc-foreground-content-neutral-secondary)}.acfdefaultchev
.cr:active{background:var(--smtc-ctrl-fab-background-pressed)}.b_ofchev .acfdefaultchev.btn.prev
.cr{left:-18px}.b_ofchev .acfdefaultchev.btn.next
.cr{right:-18px}@media(forced-colors:active){.acfdefaultchev .cr{background:ButtonFace}.acfdefaultchev
.cr>svg{fill:ButtonText}.acfdefaultchev .cr:active,.acfdefaultchev
.cr:has(:focus-visible){background:Highlight}}.b_nochevshadow .acfdefaultchev .cr,.b_nochevshadow
.acfdefaultchev .cr:active,.b_nochevshadow .acfdefaultchev .cr:active,.b_nochevshadow .acfdefaultchev
.cr:focus{background:none!important;box-shadow:none!important}.slide.b_crslitm.b_sldfitcont{width:fit-content}#b_content .pa_carousel_mlo .pa_item.pa_vCard .pa_title,#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption,#b_content .pa_carousel_mlo .pa_item.pa_vCard .b_finalText,#b_content
.pa_carousel .pa_item.pa_vCard .pa_title,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption,#b_content
.pa_carousel .pa_item.pa_vCard .b_finalText,#b_content .pa_grid .pa_item.pa_vCard .pa_title,#b_content
.pa_grid .pa_item.pa_vCard .pa_caption,#b_content .pa_grid .pa_item.pa_vCard .b_finalText{padding:0
var(--smtc-padding-ctrl-horizontal-default)}#b_content .pa_carousel_mlo .pa_item.pa_vCard .cico,#b_content
.pa_carousel .pa_item.pa_vCard .cico,#b_content .pa_grid .pa_item.pa_vCard
.cico{margin-bottom:var(--smtc-gap-between-content-small)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_title,#b_content .pa_carousel .pa_item.pa_vCard .pa_title,#b_content .pa_grid
.pa_item.pa_vCard
.pa_title{font:var(--bing-smtc-text-global-body3);color:var(--smtc-ctrl-link-foreground-brand-rest)}#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption,#b_content .pa_carousel .pa_item.pa_vCard
.pa_caption,#b_content .pa_grid .pa_item.pa_vCard
.pa_caption{margin-top:var(--smtc-gap-between-content-x-small);padding-bottom:var(--smtc-gap-between-content-x-small);font:var(--bing-smtc-text-global-caption1)!important}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .pa_price,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.pa_price,#b_content .pa_grid .pa_item.pa_vCard .pa_caption
.pa_price{margin-bottom:var(--smtc-gap-between-content-xx-small)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .pa_price .prc_clr_grn,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.pa_price .prc_clr_grn,#b_content .pa_grid .pa_item.pa_vCard .pa_caption .pa_price
.prc_clr_grn{color:var(--smtc-status-success-tint-foreground)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .pa_price strong,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.pa_price strong,#b_content .pa_grid .pa_item.pa_vCard .pa_caption .pa_price

```

Wiring thickness requirements for power distribution cabinets

```

strong{color:var(--smtc-foreground-content-neutral-primary)}#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .pa_price .original_price,#b_content .pa_carousel .pa_item.pa_vCard
.pa_caption .pa_price .original_price,#b_content .pa_grid .pa_item.pa_vCard .pa_caption .pa_price
.original_price{font:var(--bing-smtc-text-global-caption1);padding-left:var(--smtc-gap-between-content-x-small)}#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption .pa_installmentDesc,#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption .pa_unitprice,#b_content .pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .vertical_converted_price,#b_content .pa_carousel_mlo .pa_item.pa_vCard
.pa_caption .pa_shippingcost,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.pa_installmentDesc,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption .pa_unitprice,#b_content
.pa_carousel .pa_item.pa_vCard .pa_caption .vertical_converted_price,#b_content .pa_carousel
.pa_item.pa_vCard .pa_caption .pa_shippingcost,#b_content .pa_grid .pa_item.pa_vCard .pa_caption
.pa_installmentDesc,#b_content .pa_grid .pa_item.pa_vCard .pa_caption .pa_unitprice,#b_content .pa_grid
.pa_item.pa_vCard .pa_caption .vertical_converted_price,#b_content .pa_grid .pa_item.pa_vCard .pa_caption
.pa_shippingcost{font:var(--bing-smtc-text-global-caption1);margin-bottom:var(--smtc-gap-between-content-xx-small);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_content
.pa_carousel_mlo
.pa_item.pa_vCard .pa_caption .b_attribution,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.b_attribution,#b_content .pa_grid .pa_item.pa_vCard .pa_caption
.b_attribution{margin-bottom:var(--smtc-gap-between-content-xx-small);color:var(--bing-smtc-foreground-content-neutral-secondary-alt);border-bottom:0;font:var(--bing-smtc-text-global-caption1)}#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_attribution cite,#b_content .pa_carousel
.pa_item.pa_vCard .pa_caption .b_attribution cite,#b_content .pa_grid .pa_item.pa_vCard .pa_caption
.b_attribution
cite{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt);opacity:unset}#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_secondaryText,#b_content
.pa_carousel .pa_item.pa_vCard .pa_caption .b_secondaryText,#b_content .pa_grid .pa_item.pa_vCard
.pa_caption
.b_secondaryText{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_secondaryText
.pa_rebateText,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption .b_secondaryText
.pa_rebateText,#b_content .pa_grid .pa_item.pa_vCard .pa_caption .b_secondaryText
.pa_rebateText{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_content
.pa_carousel_mlo .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_promo a,#b_content
.pa_carousel .pa_item.pa_vCard .pa_caption .b_secondaryText .pa_promo a,#b_content .pa_grid
.pa_item.pa_vCard .pa_caption .b_secondaryText .pa_promo a{color:var(--smtc-ctrl-link-foreground-brand-rest)}#b_content
.pa_carousel_mlo .pa_item.pa_vCard
.pa_caption .b_secondaryText .pa_rating a,#b_content .pa_carousel .pa_item.pa_vCard .pa_caption
.b_secondaryText .pa_rating a,#b_content .pa_grid .pa_item.pa_vCard .pa_caption .b_secondaryText
.pa_rating a{color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}#b_content
.pa_carousel_mlo
.slide,#b_content .pa_carousel .slide,#b_content .pa_grid
.pa_item{border-radius:var(--mai-smtc-corner-card-default)!important;overflow:hidden}#b_pole

```

Wiring thickness requirements for power distribution cabinets

```
.pa_carousel_mlo{margin-right:0}#b_content .pa_carousel_mlo .pa_item.pa_vCard,#b_content .pa_carousel
.pa_item.pa_vCard{margin-bottom:0!important}#b_content .pa_carousel_mlo .pa_carousel
.slide{margin:var(--smtc-gap-between-content-xx-small) 0}#b_content .pa_carousel_mlo
.pa_carousel{margin:calc(-1*var(--smtc-gap-between-content-xx-small)) 0}#b_content .pa_carousel
.slide{margin:calc(var(--smtc-gap-between-content-xx-small) - var(--smtc-gap-between-content-xxx-small))
0}#b_results .pa_carousel_mlo .pa_carousel .b_slidebar .slide:first-child,#b_topw .pa_carousel_mlo
.pa_carousel .b_slidebar
.slide:first-child{margin-left:var(--smtc-gap-between-content-xxx-small)}.pa_item.pa_vCard{word-wrap:brea
k-word;line-height:20px;overflow:hidden}.pa_item.pa_vCard p strong,.pa_item.pa_vCard .pa_price
strong{color:#111}.pa_item.pa_vCard .pa_deal{text-decoration:line-through}#b_content .pa_item.pa_vCard
.b_attribution{font-size:14px;padding-bottom:0;line-height:20px}#b_context .pa_item.pa_vCard
p,#b_rrat_cont .pa_item.pa_vCard p{line-height:20px}#b_content .pa_item.pa_vCard
.pa_title{line-height:20px;overflow:hidden}.pa_item.pa_vCard
.b_footnote{line-height:17px;padding-bottom:0}.pa_item.pa_vCard
.pa_caption{padding-bottom:8px}.pa_item.pa_vCard .pa_caption,.pa_item.pa_vCard
.pa_title{padding-left:4px;padding-right:4px}.pa_item.pa_vCard
.b_finalText{position:absolute;width:100%;box-sizing:border-box;left:0;padding:0 4px 0
4px;bottom:8px}.pa_item.pa_vCard
.cico{display:block;padding-bottom:0;margin-bottom:8px;margin-left:auto;margin-right:auto;border-radius:0}
.pa_item.pa_vCard .pa_img{position:relative}.pa_item.pa_vCard .pa_price:hover,.pa_item.pa_vCard
.b_attribution:hover,.pa_item.pa_vCard .b_footnote:hover{cursor:pointer}.pa_carousel .slide{box-shadow:0 0
0 1px rgba(0,0,0,.1)!important}.pa_carousel .slide.see_more{box-shadow:0 0 0 0
rgba(0,0,0,0)!important}.pa_caption .pa_price:hover strong,.pa_hover .pa_hover_content .pa_price:hover
strong{text-decoration:underline;text-decoration-color:#111}.pa_caption .b_attribution:hover,.pa_hover
.pa_hover_content
.b_attribution:hover{text-decoration:underline}.pa_caption>.b_secondaryText:hover,.pa_hover
.pa_hover_content>.b_secondaryText:hover{color:#444}.b_ads1line{white-space:nowrap;overflow:hidden;te
xt-overflow:ellipsis;display:block}.pa_item .b_attribution cite,#b_context .pa_item .b_attribution
cite,.pa_hover .b_attribution cite,.pa_item .b_footnote .pa_url cite,.pa_item .b_attribution cite,#b_rrat_cont
.pa_item .b_attribution cite,.pa_hover .b_attribution cite,.pa_item .b_footnote .pa_url
cite{color:#111;opacity:.8}#bpage.b_drk .pa_item .b_footnote .pa_url
cite{color:#d2d0ce}.pa_item.pa_vCard{cursor:pointer}@supports(-webkit-line-clamp:2){.b_adsTrunTx{displ
ay:-webkit-box;overflow:hidden;-webkit-box-orient:vertical;white-space:normal;visibility:visible}.b_ellipsis{
display:none}.b_adsTrunTx
.b_hiddenTx{display:inline}.b_hiddenTx{display:none}.pa_hover{background-color:var(--smtc-background
-web-page-primary);box-shadow:none;position:absolute;opacity:0;visibility:hidden;word-wrap:break-word;cu
rsor:pointer;overflow:hidden;z-index:4;pointer-events:none}.pa_hover
.pa_hover_content{padding-bottom:var(--smtc-gap-between-content-x-small)}.pa_hover
.pa_hover_title,.pa_hover .pa_price,.pa_hover .b_attribution,.pa_hover .b_secondaryText,.pa_hover
.pa_additionTx,.pa_hover>div>.b_ads1line,.pa_hover .b_footnote,.pa_hover
```

Wiring thickness requirements for power distribution cabinets

```
.pa_hover_content>.pa_locInv{padding-left:var(--smtc-padding-ctrl-horizontal-default);padding-right:var(--smtc-padding-ctrl-horizontal-default)}.pa_hover .pa_hover_img{position:relative}.pa_hover .pa_hover_img{display:block;margin-left:auto;margin-right:auto}.pa_hover .pa_hover_title{font:var(--bing-smtc-text-global-body3)!important;color:var(--smtc-ctrl-link-foreground-brand-rest);margin-bottom:var(--smtc-gap-between-content-x-small)}.pa_hover .pa_hover_title:~:hover{text-decoration:underline}.pa_hover .pa_price{margin-bottom:var(--smtc-gap-between-content-xx-small)}.pa_hover .prc_clr_grn{color:var(--smtc-status-success-tint-foreground)}.pa_hover strong{color:var(--smtc-foreground-content-neutral-primary);font:var(--bing-smtc-text-global-caption1-strong)}.pa_hover .original_price{font:var(--bing-smtc-text-global-caption1);padding-left:var(--smtc-gap-between-content-x-small)}.pa_hover .pa_installmentDesc,.pa_hover .pa_unitprice,.pa_hover .vertical_converted_price,.pa_hover .pa_shippingcost{font:var(--bing-smtc-text-global-caption1);margin-bottom:var(--smtc-gap-between-content-xx-small);color:var(--bing-smtc-foreground-content-neutral-secondary-alt);padding-bottom:0}.pa_hover .b_attribution{margin-bottom:var(--smtc-gap-between-content-xx-small);color:var(--bing-smtc-foreground-content-neutral-secondary-alt);border-bottom:0;font:var(--bing-smtc-text-global-caption1)}.pa_hover cite{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt);opacity:unset}.pa_hover .pa_bcSeparator{margin:var(--smtc-gap-between-content-xx-small) 0;border-top:1px solid #ecec}.pa_hover .b_secondaryText{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}.pa_hover .pa_rebateText{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}.pa_hover .b_secondaryText .pa_promo a{color:var(--smtc-ctrl-link-foreground-brand-rest)}.pa_hover .b_secondaryText .pa_rating a{color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}.pa_hover .b_secondaryText .b_colorBlend{color:var(--bing-smtc-foreground-content-neutral-secondary-alt)!important}.pa_hover .pa_additionTx,.pa_hover .pa_locInv{font:var(--bing-smtc-text-global-caption1);color:var(--bing-smtc-foreground-content-neutral-secondary-alt)}.pa_hover .pa_hover_adLink:~:hover{text-decoration:none}.pa_hover:has(.pa_hover_content.pa_hcgp){border-radius:var(--mai-smtc-corner-card-default)}.pa_hover .ad_scpah.pa_animation{background-color:var(--smtc-background-card-on-primary-default-hover);box-shadow:var(--bing-smtc-shadows-card-hover-3);pointer-events:auto}.pa_item.pa_vCard>a:~:hover{text-decoration:none}.pa_hover:~:not(:has(.b_pa_hov_indicator_c)) .pa_hover_img img{margin-bottom:var(--smtc-gap-between-content-small)}.pa_hover .ad_scpah.pa_animation{transition:height var(--smtc-duration-medium-01) var(--bing-smtc-animation-ease-default),background-color var(--smtc-duration-medium-01) var(--bing-smtc-animation-ease-default),box-shadow var(--smtc-duration-medium-01) var(--bing-smtc-animation-ease-default)}.b_acf_crsl .carousel_seemore .rtl .b_seemore_chev svg{transform:scaleX(-1)}.b_acf_crsl .carousel_seemore{display:flex;align-items:center;justify-content:center;width:64px}.b_acf_crsl
```

Wiring thickness requirements for power distribution cabinets

```
.carousel_seemore .b_moreLink{ display:flex;padding:var(--bing-smtc-padding-ctrl-icon-only-text-top)
var(--bing-smtc-padding-ctrl-text-side-large) var(--bing-smtc-padding-ctrl-icon-only-text-bottom)
var(--bing-smtc-padding-ctrl-text-side-large);flex-direction:column;align-items:center;gap:var(--smtc-gap-insi
de-ctrl-to-secondary-icon);text-decoration:none}.b_acf_crsl .carousel_seemore .b_moreLink
.b_seemore_chev{ display:flex;width:40px;height:40px;justify-content:center;align-items:center}.b_acf_crsl
.carousel_seemore .b_moreLink .b_seemore_chev
svg{ fill:var(--smtc-foreground-ctrl-on-transparent-rest);font-weight:bold;transition:transform
var(--smtc-duration-medium-01) var(--bing-smtc-animation-ease-default)}.b_acf_crsl .carousel_seemore
.b_moreLink
.b_call_txt{ color:var(--smtc-foreground-ctrl-on-transparent-rest);font:var(--bing-smtc-text-global-caption1-str
ong)}.b_acf_crsl .carousel_seemore .b_moreLink:hover
.b_seemore_chev{ border-radius:var(--smtc-corner-ctrl-hover);background:var(--bing-smtc-background-ctrl-gh
ost-hover)}.b_acf_crsl .carousel_seemore .b_moreLink:hover .b_seemore_chev
svg{ width:20px;height:20px}.b_acf_crsl .carousel_seemore .b_moreLink:active
.b_seemore_chev{ border-radius:var(--smtc-corner-ctrl-pressed);background:var(--bing-smtc-background-ctrl-
ghost-pressed)}.b_acf_crsl .carousel_seemore .b_moreLink:active .b_seemore_chev
svg{ width:12px;height:12px}#slideexp0_4DD674 .slide:last-child { margin-inline-end: 0; }
#slideexp0_4DD674 .slide>*:last-child { margin-bottom: unset !important; } .b_acf_crsl
#slideexp0_4DD674c .b_slidebar .slide { box-shadow: unset; -webkit-box-shadow: unset; }
.b_acf_crsl.hovexp #slideexp0_4DD674c.b_slideexp .b_overlay .b_slidesContainer { overflow: visible
!important; } .b_acf_crsl.hovexp #slideexp0_4DD674c.b_slideexp .b_overlay .b_viewport, .b_acf_crsl.hovexp
#slideexp0_4DD674c.b_slideexp .b_viewport { padding-top: 12px !important; margin-top: -12px !important;
padding-bottom: 12px !important; margin-bottom: -12px !important; } .b_acf_crsl.hovexp
#slideexp0_4DD674c.b_slideexp .b_overlay .b_viewport { padding-bottom: 24px !important; margin-bottom:
-24px !important; }SponsoredSee Wiring Thickness Requirements for Power Distribution CabinetsPower
Distribution Box - Twist ...Lock - ULIN$795.00Power Distribution Box - Twist Lock - ULINE
```

Web: <https://csc-energia.com.pl>